

PINGHU DAKE BABY CARRIER CO., LTD Applicant:

NO..88. QINSHA SECTION. PINGLANG ROAD.

XINCANG, PINGHU ZHEJIANG

ZHA JIA QI Attn:

Sample Description:

One(1) group of submitted sample said to be:

Item Name Electric Ride On Car.

Item No. DK-RRE99/Range Rover Evoque Battery Ride On.

Labelled Age Group 37-95 Months.

Packaging Provided By Applicant Yes.

Goods Exported To EU Australia UK.

Country Of Origin China.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

Tested Samples <u>Standard</u> Result

Submitted Sample set EN71-1: 2014+ A1: 2018 for Mechanical And Physical Properties Pass

Submitted Sample set EN71-2: 2011+A1: 2014 Flammability Test Pass

EN71-2: 2020 Flammability Test Submitted Sample set Pass

Tested Components Of EN 71-3:2019+A1:2021 on migration of certain elements

Submitted Sample

Submitted Sample set EN IEC 62115:2020+A11:2020- Safety of Electric Toys Excluding the Clause Pass

15.4, 19, Annex D, Annex E, Annex I

(Subjected to Remark enclosed)

(See Remark #)

Pass

Pass

24 Jun, 2022

Date:

Tested Components Of Cadmium content requirement in Commission Regulation (EU) No. 494/2011

Submitted Sample of 20 May 2011, (EU) No. 835/2012 of 18 September 2012 and (EU) No.

2016/217 of 16 February 2016 Amending Annex XVII Items 23 of the Reach

Regulation (EC) No. 1907/2006

Cadmium content requirement in Commission Regulation (EU) No. 494/2011 (21)**Pass**

of 20 May 2011, (EU) No. 835/2012 of 18 September 2012 and (EU) No.

2016/217 of 16 February 2016 Amending Annex XVII Items 23 of the Reach

Regulation (EC) No. 1907/2006

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.

Peter Chen

General Manager







SHAH01445624 **Test Report** Number:

lusion:

or	iclusion:		
	Tested Samples Tested Components Of Submitted Sample	Standard Phthalates content requirement in Annex XVII Item 51of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 (formerly known as Directive 2005/84/EC)	Result Pass
	Tested Components Of Submitted Sample	Phthalates content requirement in Annex XVII Items 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 (formerly known as Directive 2005/84/EC)	Pass
	Tested Components Of Submitted Sample	Polycyclic Aromatic Hydrocarbons (PAHs) content in Annex XVII Item 50 of the REACH Regulation (EC) No. 1907/2006 & amendment (EU) No. 1272/2013	Pass
	Tested Components Of Submitted Sample	Azocolourants content requirement in Annex XVII Item 43 of the REACH Regulation (EC) No. 1907/2006 & Amendment (EC) No. 552/2009 and (EU) 2020/2096	Pass
	Submitted Sample set	Australian / New Zealand Standard AS/NZS ISO 8124.1:2019 +Amd.1:2020+Amd.2:2020 Safety Aspects Related to Mechanical And Physical Properties	Pass
	Submitted Sample Set	Australian / New Zealand Standard on Safety of Toys AS/NZS 8124.2: 2016 Flammability Test	Pass
	Tested Components Of Submitted Sample	Australian / New Zealand standard on safety of toys AS/NZS ISO 8124 part 3: 2021 for toxic elements test	Pass
	Tested Components Of Submitted Sample	Australian Competition and Consumer Act 2010 with Consumer Protection Notice No. 11, 2011 - Permanent ban on children's products with Diethylhexyl Phthalate (DEHP)	Pass

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

Peter Chen General Manager



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com





Tests Conducted

1 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.

Applicant's Specified Age Group for Testing: For 37 - 95 months.

The submitted samples were un	dergone the following abo	use tests:	
Test	Clause	Parameter	
Torque test	8.3	0.34 Nm	
Tension test	8.4.2.1	90 N	
Protective components	8.4.2.3	60 N	
Drop test	8.5	850 mm x 5times	
Tip over test	8.6	Three times	
Impact test	8.7	1 kg	
Compression test	8.8	110 N	
Flexibility of metallic wires	8.13	70 N	

Clause	Testing items	Assessment
4	General requirements	
4.1	Material	Р
4.2	Assembly	Р
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	Р
4.8	Points and metallic wires	Р
4.9	Protruding parts	Р
4.10	Parts moving against each other	Р
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	Р
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	Р
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA



Tests Conducted

Clause	Testing items	Assessment
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	•
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
3	Packaging	Р
7	Warnings, markings and instructions for use	
7.1	General	Р
7.2	Toys not intended for children under 36 months	Р
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA NA
7.19	Rocking horses and similar toys	NA NA
7.20	Magnetic/electrical experimental sets	NA NA
7.21	Toys with electrical caples exceeding 300 mm in length	NA NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA NA
7.24	Sledges with cords for pulling	NA NA



Tests Conducted

Clause	Testing items	Assessment
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark: P = Pass NA = Not Applicable

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These

information also appears as a note within the EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

After checking, it was found that:

_	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Absent	Absent
Importer's address	Absent	Absent
Product identification code	Present	Present
CE-marking	Absent	Present

Below is additional information checking according to the UK Toy (Safety) Regulations requirement.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that:

_	Toy	Packaging
Name of authorised representative	Absent	Absent
in Great Britain		
Address of authorised	Absent	Absent
representative in Great Britain		
Product identification code	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy published on 1 September 2020.

After checking UKCA marking, it was found that:

•	ator oncoming of to, timerang	, it was isalia that:	
		Toy	Packaging
	UKCA marking	Absent	Absent

Date Sample Received: May 23, 2022





Tests Conducted

Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.

Applicant's Specified Age Group for Testing: For 37 - 95 months.

The submitted samples were undergo	one the following abuse tests:	
Test	Clause	Parameter
Torque test	8.3	0.34 Nm
Tension test	8.4.2.1	90 N
Protective components	8.4.2.3	60 N
Drop test	8.5	850 mm x 5times
Tip over test	8.6	Three times
Impact test	8.7	1 kg
Compression test	8.8	110 N
Flexibility of metallic wires	8.13	70 N

Clause	Testing items	Assessment
4	General requirements	
4.1	Material	Р
4.2	Assembly	Р
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	Р
4.8	Points and metallic wires	Р
4.9	Protruding parts	Р
4.10	Parts moving against each other	Р
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	Р
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	Р
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA



Tests Conducted

Clause	Testing items	Assessment
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
3	Packaging	Р
7	Warnings, markings and instructions for use	
7.1	General	Р
7.2	Toys not intended for children under 36 months	Р
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA NA
7.20	Magnetic/electrical experimental sets	NA NA
7.21	Toys with electrical caples exceeding 300 mm in length	NA NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA NA
7.24	Sledges with cords for pulling	NA NA



Tests Conducted

Clause	Testing items	Assessment
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark: P = Pass NA = Not Applicable

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These

information also appears as a note within the EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Absent	Absent
Importer's address	Absent	Absent
Product identification code	Present	Present
CE-marking	Absent	Present

Date Sample Received: May 23, 2022

Testing Period: May 23, 2022 To Jun 23, 2022

2 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2011+A1: 2014

Clause	Testing Items	Assessment
4.1	General	Р
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Flowing elements of toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark: P = Pass NA = Not Applicable

Date Sample Received: May 23, 2022





Tests Conducted

3 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	Р
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark: P = Pass NA = Not Applicable

Date Sample Received: May 23, 2022



SHAH01445624 **Test Report** Number:

Tests Conducted

19 Toxic Element Migration Test

(A) Test Result

As per EN 71-3:2019+A1:2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

<u>Element</u>		<u>R</u>	Reporting <u>Limit</u>	<u>Limit</u> (mg/ko			
	(1)	(2)	(3)	(4)	(5)	(mg/kg)	ingrig
Aluminium (AI)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III)	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	1500
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	5600
Tin (Sn)	ND	ND	ND	ND	ND	2.5	18000
Organic tin **	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000

Page 10 of 35



SHAH01445624 **Test Report** Number:

Tests Conducted

Intertek Testing Services Wuxi Ltd. 无锡天祥质量技术服务有限公司

<u>Element</u>	(2)	<u>R</u>	Reporting Limit (mg/kg)	<u>Limit</u> (mg/kg)			
	(6)	(7)	(8)	(9)	(10)		
Aluminium (AI)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III)	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000

Element		<u>R</u>	Reporting Limit	<u>Limit</u> (mg/kg)			
	(11)	(12)	(13)	(14)	(15)	(mg/kg)	<u>(mg/kg/</u>
Aluminium (AI)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III)	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000

Page 11 of 35

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com





Tests Conducted

<u>Element</u>		<u>R</u>	Reporting Limit	<u>Limit</u> (mg/kg)			
	(16)	(17)	(18)	(19)	(20)	(mg/kg)	
Aluminium (Al)	ND	ND	ND	ND	11563	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III)	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000

Element		<u>R</u>	Reporting Limit	<u>Limit</u> (mg/kg)			
	(21)	(22)	(23)	(24)	(25)	(mg/kg)	<u>,gg,</u>
Aluminium (Al)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III)	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000

(is)



Tests Conducted

<u>Element</u>	(26)	<u>R</u> (27)	Reporting Limit (mg/kg)	<u>Limit</u> (mg/kg)			
Aluminium (AI)	ND	ND	(28) ND	(29) ND	(30) ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III)	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000

<u>Element</u>		Result (mg/kg)	Reporting Limit	<u>Limit</u> (mg/kg)	
	(31)	(32)	(33)	(mg/kg)	<u>(gg.)</u>
Aluminium (Al)	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	5	17
Chromium (III) (Cr III)	ND	ND	ND	10	460
Chromium (VI) (Cr VI)	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	100	46000

age 10 cross



Test Report SHAH01445624 Number:

Tests Conducted

Remark: mg/kg = milligram per kilogram=mg/kg

> ++ = Unless the test results were marked with "#" or "\Delta", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

ND = Not detected (less than reporting limit)

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium - migration value of Chromium(VI).

 Δ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Dimethyl tin, Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin and Triphenyl tin after converted to Tributyl tin by calculation. Other Organic tin compounds may be also be present in sample as stated in EN 71-3:2019+A1:2021.

Tested component(s): See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: May 23, 2022





SHAH01445624 **Test Report** Number:

Tests Conducted

5 Safety of Electric Toys

As per European Standard on Safety of Electric Toys EN IEC 62115:2020+A11:2020

Applicant's Specified Age Group for Testing: For 37 - 95 months.

Power source: Remote: 3 V, LR 03 size x 2 pcs, Vehicle: 12 V, 7 Ah, Lead-acid rechargeable battery x 1 pc

Charger1: type: Input 100-240V A.C. Model: GA09-1201000EU Charger2: type: Input 100-240V A.C. Output 12 V D.C. (Provided) Output 12 V D.C. (Provided) Model: LKC-120100-E Electric Operated Function: Battery powered LED light, Sound, motion.

Clause	Requirement	Assessment
1	Scope	
2	Normative reference	
2 3 4	Term and definitions	
4	General requirement	
5	General conditions for test	
5 6 6.1	Criteria for reduced testing	NA
6.1	General	
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and instructions	Р
		See remark(1)
7.1	General	Р
7.2	Marking on electric toys	Р
7.2.1	Identification	See remark(2)
7.2.2	Electric toys with replaceable batteries	Р
7.2.3	Transformer toys and power supply toys	NA
7.2.4	Electric toys with more than one power supply	NA
7.2.5	Electric toys with detachable lamps	NA
7.2.6	Symbols	NA
7.2.7	Durability	Р
7.3	Instructions and markings on packaging	Р
7.3.1	General	Р
7.3.2	Transformer toys and power supply toys	Р
7.3.3	Electric toys that are used with replaceable batteries	Р
7.3.3.1	General	Р
7.3.3.2	Coin batteries	NA
7.3.3.3	Button batteries	NA
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	Р
7.6	Temperature warnings	NA
8	Power input	NA
9	Heating and abnormal operation	Р
9.1	General	Р
9.2	Test condition	
9.3	Normal operation	Р
9.4	Normal operation with insulation short-circuited	Р
9.5	Abnormal operation with temperature controls made inoperable	NA



Tests Conducted

o <u>nducted</u>		
<u>Clause</u>	Requirement	<u>Assessment</u>
9.6	With accessible moving parts locked	Р
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection.	NA
9.9	Fault condition in electronic circuits	Р
9.10	Compliance criteria	Р
10	Electric strength	Р
10.1	Electric strength at operating temperature	Р
10.2	Electric strength under humid conditions	Р
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
12	Mechanical strength	Р
12.1	Enclosures	Р
12.2	Attachment strength	Р
13	Construction	Р
13.1	Nominal supply voltage	Р
13.2	Transformers, power supplies and battery chargers	Р
13.3	Thermal cut-outs.	NA
13.4	Batteries	Р
13.4.1	Small batteries	Р
13.4.2	Other batteries	Р
13.4.3	Electrolyte leakage	Р
13.4.4	Electric toys placed above a child	NA
13.4.5	Parallel connection of batteries	Р
13.4.6	Battery compartment fasteners	Р
13.5	Plug and sockets	Р
13.6	Charging batteries	Р
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment.	NA
13.10	Speed limitation of ride-on electric toys	Р
14	Protection of cords and wires	Р
14.1	Edges and moving parts	P
14.2	Fixed parts	NA
15	Components	P
		See remark(3 & 4)
15.1.1	General	P
15.1.2	Switches and automatic controls	NA
15.1.3	Other components	, .
	outer somponents	See remark(3)
15.2	Prohibited components	P
15.3	Transformers and power supplies	NA
15.4	Battery chargers	See remark(4)
15.5	Batteries	NA NA
16	Screws and connections	P
16.1	Fixings	P
16.2	Connections	P
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
18.1	Resistance to heat	P
18.2	Resistance to fire	P
18.2.1	General	P
18.2.2	Non-metallic parts	P
18.2.3	Insulating material	NA
19	Radiation and similar hazards	See remark(5)
13	radiation and similar nazards	occ remark(5)



SHAH01445624 **Test Report** Number:

Tests Conducted

Requirement Programment	<u>Assessment</u>
General	
Optical radiation	
Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps	See remark(5)
Electric toys incorporating UV-emitting lamps shall comply with 19.E.4.	
Other electromagnetic radiation	
Electric toys with an integrated field source that may produce harmful	See remark(5)
electromagnetic radiation Measurements methods are given in Annex I.	
Experimental sets	NA
Needle-flame test	NA
Automatic controls and switches	NA
Electric toys with protective electronic circuits	See remark(5)
Safety of electric toys incorporating optical radiation sources	See remark (5)
Flowcharts showing the assessment of optical radiation safety of LEDs in electric	
toys	
Examples of calculations on LEDs	
Explanation of the principles used for the requirements of Annex E	
Electric toys generationg electromagnetic fields (EMF)	See remark (5)
Safety of remote controls for electric ride-on toys	Р
Flow charts showing the application of Clause 9	
	Optical radiation Toys incorporating lasers and or light emitting diodes (LED) or UV emitting lamps shall comply with Annex E. Electric toys incorporating LEDs shall comply with 19.E.2. Electric toys incorporating lasers shall comply with 19.E.3. Electric toys incorporating UV-emitting lamps shall comply with 19.E.4. Other electromagnetic radiation Electric toys with an integrated field source that may produce harmful electromagnetic radiation Measurements methods are given in Annex I. Experimental sets Needle-flame test Automatic controls and switches Electric toys with protective electronic circuits Safety of electric toys incorporating optical radiation sources Flowcharts showing the assessment of optical radiation safety of LEDs in electric toys Examples of calculations on LEDs Explanation of the principles used for the requirements of Annex E Electric toys generationg electromagnetic fields (EMF) Safety of remote controls for electric ride-on toys

Abbreviation: P = Pass NA = Not Applicable

Remark:

- (1)Only the English version of the marking and instructions were assessed. According to the standard, instruction sheets and other texts required by the standard shall be written in the official language of the country in which the product is to be sold.
- (2) Below are additional information according to the requirement in Toy Safety Directive 2009/48/EC relating to marking of toys and do not constitute requirements of this European Standard: The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Absent	Absent
Importer's address	Absent	Absent
Product identification code	Present	Present

- (3) Applicant needs to ensure that components used in toys shall comply with the safety requirements specified in the relevant standards.
- Applicant needs to ensure that battery charger for toys shall comply with IEC 60335-2-29:2016 and (4) Annex AA of that standard.
- As requested by the applicant, the Annex D , Annex E, Annex I were not assessed. (5)





SHAH01445624 **Test Report** Number:

Tests Conducted

Date Sample Received: May 23, 2022

Testing Period: May 23, 2022 To Jun 23, 2022

6 Cadmium (Cd) Content

With reference to methods IEC 62321, acid digestion method was used and total Cadmium content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in %
(1)	ND
(2)	ND
(3)	ND
(4)	ND
(5)	ND
(6)	ND
(7)	ND
(8)	ND
(9)	ND
(10)	ND
(11)	ND
(12)	ND
(13)	ND
(14)	ND
(15)	ND
(16)	ND
(17)	ND
(18)	ND
(19)	ND
(20)	ND
(21)	ND
(22)	ND
(23)	ND
(24)	ND
(25)	ND
(26)	ND
(27)	ND
(28)	ND
(29)	ND
(30)	ND
(31)	ND
(32)	ND
(33)	ND

Requirement:	
Category	<u>Limit (%)</u>
Painted article	0.1
Plastic	0.01
Metal parts of jewellery & hair accessories	0.01

Remark: ND = Not Detected (<0.0005%)





Tests Conducted

= The tested component (21) was not paint, coating, piastic, metal in jewellery & brazing filler, but the testing results of tested component(21) did not exceed the Cadmium content requirement in Commission Regulation (EU) No. 494/2011 of 20 May 2011, (EU) No. 835/2012 of 18 September 2012 and (EU) No. 2016/2177 of 16 February 2016 Amending Annex XVII Items 23 of the Reach Regulation (EC) No. 1907/2006.

Tested Components: See component list in the last section of this report.

Date Sample Received: May 23, 2022

Testing Period: May 23, 2022 To Jun 23, 2022

7 Phthalate Content

With reference to ISO 8124-6: 2018 method A or C, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Tested Compound	CAS No.	Result (%,w/w)					Limit (%,w/w)
		(1)	(2)	(3)	(4)	(5)	<u>(Max.)</u>
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	ND	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	ND	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	ND	-
Sum of DBP,DEHP,BBP and DIBP		ND	ND	ND	ND	ND	0.1

Tested Compound	CAS No.	Result (%,w/w)					Limit (%,w/w)
		(6)	(7)	(8)	(9)	(10)	<u>(Max.)</u>
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	ND	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	ND	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	ND	-
Sum of DBP,DEHP,BBP and DIBP		ND	ND	ND	ND	ND	0.1

Tested Compound	CAS No.	Result (%,w/w)					Limit (%,w/w)
		(11)	(12)	(13)	(14)	(15)	(Max.)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	ND	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	ND	_
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	ND	-
Sum of DBP,DEHP,BBP and DIBP		ND	ND	ND	ND	ND	0.1

Tested Compound	CAS No.	Result (%,w/w)					Limit (%,w/w)
		(16)	(17)	(18)	(19)	(20)	(Max.)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	ND	1
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	ND	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	ND	-
Sum of DBP,DEHP,BBP and DIBP	-	ND	ND	ND	ND	ND	0.1

(n)

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Tests Conducted

Tested Compound	CAS No.	Result (%,w/w)					Limit (%,w/w)
		(21)	(22)	(23)	(24)	(25)	(Max.)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	ND	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	ND	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	ND	-
Sum of DBP,DEHP,BBP and DIBP		ND	ND	ND	ND	ND	0.1

Tested Compound	CAS No.	Result (%,w/w)					Limit (%,w/w)
		(26)	(27)	(28)	(29)	(30)	<u>(Max.)</u>
Dibutyl phthalate (DBP)	84-74-2	ND	ND	0.05	ND	ND	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	ND	ND	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.01	ND	ND	-
Sum of DBP.DEHP.BBP and DIBP	-	ND	ND	0.06	ND	ND	0.1

Tested Compound	CAS No.	<u> </u>	Limit (%,w/w)		
		(31)	(32)	(33)	(Max.)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	=
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	-
Sum of DBP,DEHP,BBP and DIBP	-	ND	ND	ND	0.1

The above limit was quoted according to Annex XVII Item 51of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009& Amendment Commission Regulation (EU) 2018/2005 for phthalate content in articles.

Remark: Detection Limit = 0.01%(w/w) ND = Not Detected

@ = As requested by the applicant, the surface coatings were tested with the substrate for phthalate test. With the consideration of the dilution factor, the testing result may not represent the result of the individual coatings and substrate.

Tested Components: See component list in the last section of this report.

Date Sample Received: May 23, 2022





Tests Conducted

8 Phthalate Content

With reference to ISO 8124-6: 2018 method A or C, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Tested Compound	CAS No.	Result (%,w/w)			Limit (%,w/w)		
		(1)	(2)	(3)	(4)	(5)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	ND	-
Sum of DINP, DNOP and DIDP		ND	ND	ND	ND	ND	0.1

Tested Compound	CAS No.	Result (%,w/w)				Limit (%,w/w)	
		(6)	(7)	(8)	(9)	(10)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	ND	-
Sum of DINP, DNOP and DIDP		ND	ND	ND	ND	ND	0.1

Tested Compound	CAS No.		Result (%,w/w)			Limit (%,w/w)	
		(11)	(12)	(13)	(14)	(15)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	ND	-
Sum of DINP, DNOP and DIDP		ND	ND	ND	ND	ND	0.1

Tested Compound	CAS No.	Result (%,w/w)			Limit (%,w/w)		
		(16)	(17)	(18)	(19)	(20)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	ND	-
Sum of DINP, DNOP and DIDP		ND	ND	ND	ND	ND	0.1



Tests Conducted

Tested Compound	CAS No.		Result (%,w/w)				Limit (%,w/w)
		(21)	(22)	(23)	(24)	(25)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	ND	-
Sum of DINP, DNOP and DIDP		ND	ND	ND	ND	ND	0.1

Tested Compound	CAS No.	o. Result (%,w/w)				Limit (%,w/w)	
		(26)	(27)	(28)	(29)	(30)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	ND	ND	-
Sum of DINP, DNOP and DIDP		ND	ND	ND	ND	ND	0.1

Tested Compound	CAS No.	Result (%,w/w)			Limit (%,w/w)
		(31)	(32)	(33)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	-
Sum of DINP, DNOP and DIDP		ND	ND	ND	0.1

The above limit was quoted according to Annex XVII Item 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 for phthalate content in toys and childcare articles.

Remark: Detection Limit = 0.01%(w/w) ND = Not Detected

@ = As requested by the applicant, the surface coatings were tested with the substrate for phthalate test. With the consideration of the dilution factor, the testing result may not represent the result of the individual coatings and substrate.

Tested Components: See component list in the last section of this report.

Date Sample Received: May 23, 2022

Testing Period: May 23, 2022 To Jun 23, 2022

(n)



Tests Conducted

9 Polycyclic Aromatic Hydrocarbons (PAHs) Content

With reference to AfPS GS 2019:01 PAK, by solvent extraction and determined by Gas Chromatographic - Mass Spectrometry (GC/MS).

Toy for children /children care acticles /other articles:

roy for children /children can	e acticles /oth	er articles.				
<u>Compound</u>		<u>!</u>	Result (mg/kg	ı)		Requirement (mg/kg)
Compound	(1)	(2)	(3)	(4)	(5)	<u>(Max.)</u>
Benzo(a)pyrene	ND	ND	ND	ND	ND	0.5
Benzo(e)pyrene	ND	ND	ND	ND	ND	0.5
Benzo(a)anthracene	ND	ND	ND	ND	ND	0.5
Chrysene	ND	ND	ND	ND	ND	0.5
Benzo(b)fluoranthene	ND	ND	ND	ND	ND	0.5
Benzo(j)fluoranthene	ND	ND	ND	ND	ND	0.5
Benzo(k)fluoranthene	ND	ND	ND	ND	ND	0.5
Dibenzo(a,h)anthracene	ND	ND	ND	ND	ND	0.5
<u>Compound</u>	Result (mg/kg)					
Compound	(6)	(7)	(8)	(9)	(10)	<u>(Max.)</u>
Benzo(a)pyrene	ND	ND	ND	ND	ND	0.5
Benzo(e)pyrene	ND	ND	ND	ND	ND	0.5
Benzo(a)anthracene	ND	ND	ND	ND	ND	0.5
Chrysene	ND	ND	ND	ND	ND	0.5
Benzo(b)fluoranthene	ND	ND	ND	ND	ND	0.5
Benzo(j)fluoranthene	ND	ND	ND	ND	ND	0.5
Benzo(k)fluoranthene	ND	ND	ND	ND	ND	0.5
Dibenzo(a,h)anthracene	ND	ND	ND	ND	ND	0.5
Compound		<u>i</u>	Result (mg/kg	Ŋ		Requirement (mg/kg)
Compound	(11)	(12)	(13)	(14)	(15)	<u>(Max.)</u>
Benzo(a)pyrene	ND	ND	ND	ND	ND	0.5
Benzo(e)pyrene	ND	ND	ND	ND	ND	0.5
Benzo(a)anthracene	ND	ND	ND	ND	ND	0.5
Chrysene	ND	ND	ND	ND	ND	0.5
Benzo(b)fluoranthene	ND	ND	ND	ND	ND	0.5
Benzo(j)fluoranthene	ND	ND	ND	ND	ND	0.5
Benzo(k)fluoranthene	ND	ND	ND	ND	ND	0.5
Dibenzo(a,h)anthracene	ND	ND	ND	ND	ND	0.5



Tests Conducted

Compound		<u> </u>	Result (mg/kg	Ŋ		Requirement (mg/kg)
<u>compound</u>	(16)	(17)	(18)	(19)	(20)	<u>(Max.)</u>
Benzo(a)pyrene	ND	ND	ND	ND	ND	0.5
Benzo(e)pyrene	ND	ND	ND	ND	ND	0.5
Benzo(a)anthracene	ND	ND	ND	ND	ND	0.5
Chrysene	ND	ND	ND	ND	ND	0.5
Benzo(b)fluoranthene	ND	ND	ND	ND	ND	0.5
Benzo(j)fluoranthene	ND	ND	ND	ND	ND	0.5
Benzo(k)fluoranthene	ND	ND	ND	ND	ND	0.5
Dibenzo(a,h)anthracene	ND	ND	ND	ND	ND	0.5
<u>Compound</u>		<u> </u>	Result (mg/kg	η		Requirement (mg/kg)
<u>Compound</u>	(21)	(22)	(23)	(24)	(25)	(Max.)
Benzo(a)pyrene	ND	ND	ND	ND	ND	0.5
Benzo(e)pyrene	ND	ND	ND	ND	ND	0.5
Benzo(a)anthracene	ND	ND	ND	ND	ND	0.5
Chrysene	ND	ND	ND	ND	ND	0.5
Benzo(b)fluoranthene	ND	ND	ND	ND	ND	0.5
Benzo(j)fluoranthene	ND	ND	ND	ND	ND	0.5
Benzo(k)fluoranthene	ND	ND	ND	ND	ND	0.5
Dibenzo(a,h)anthracene	ND	ND	ND	ND	ND	0.5
Compound		<u> </u>	Result (mg/kg	Ŋ		Requirement (mg/kg)
Compound	(26)	(27)	(28)	(29)	(30)	<u>(Max.)</u>
Benzo(a)pyrene	ND	ND	ND	ND	ND	0.5
Benzo(e)pyrene	ND	ND	ND	ND	ND	0.5
Benzo(a)anthracene	ND	ND	ND	ND	ND	0.5
Chrysene	ND	ND	ND	ND	ND	0.5
Benzo(b)fluoranthene	ND	ND	ND	ND	ND	0.5
Benzo(j)fluoranthene	ND	ND	ND	ND	ND	0.5
Benzo(k)fluoranthene	ND	ND	ND	ND	ND	0.5
Dibenzo(a,h)anthracene	ND	ND	ND	ND	ND	0.5



Tests Conducted

Compound		Result (mg/kg)	Requirement (mg/kg)	
Compound	(31)	(32)	(33)	<u>(Max.)</u>
Benzo(a)pyrene	ND	ND	ND	0.5
Benzo(e)pyrene	ND	ND	ND	0.5
Benzo(a)anthracene	ND	ND	ND	0.5
Chrysene	ND	ND	ND	0.5
Benzo(b)fluoranthene	ND	ND	ND	0.5
Benzo(j)fluoranthene	ND	ND	ND	0.5
Benzo(k)fluoranthene	ND	ND	ND	0.5
Dibenzo(a,h)anthracene	ND	ND	ND	0.5

Remark: The above limit was quoted according to Annex XVII Items 50 of the REACH Regulation (EC) No.1907/2006 & amendment (EU) No. 1272/2013 for Polycyclic Aromatic Hydrocarbons (PAHs).

ND = Not Detected Detection limit = 0.2 mg/kg

Tested components: See component list in the last section of this report.

Date Sample Received: May 23, 2022



Tests Conducted

10 <u>Detection of Amines Derived from Azocolourants and Azodyes</u>

By Gas Chromatographic - Mass Spectrometric (GC-MS) And High Performance Liquid Chromatographic (HPLC) Analysis.

Test Method: EN ISO 14362-1: 2017 for Textile Material

	<u>Forbidden</u>	Cas No.	Result	(ppm)
			Method T	Method D
			(21)	(21)
1.	4-Aminodiphenyl	92-67-1	N	N
2.	Benzidine	92-87-5	N	N
3.	4-Chloro-o-Toluidine	95-69-2	N	N
4.	2-Naphthylamine	91-59-8	N	N
5.	o-Aminoazotoluene	97-56-3	N	N
6.	2-Amino-4-Nitrotoluene	99-55-8	N	N
7.	p-Chloroaniline	106-47-8	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N
13.	3,3'-Dimethyl-4,4'diaminodiphenylmethane	838-88-0	N	N
14.	p-Cresidine	120-71-8	N	N
15.	4,4'-Methylene-Bis(2-Chloroaniline)	101-14-4	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N
18.	o-Toluidine	95-53-4	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N
21.	o-Anisidine	90-04-0	N	N
22.	p-Aminoazobenzene	60-09-3	N	N

Remark: N = Not Detected

Detection Limit = 5 ppm Requirement = 30 ppm (Max.) ppm = Parts per million = mg/kg

Method T: Direct buffer extraction as per EN ISO 14362-1: 2017 Section 10.2

Method D: Colourant extraction with Xylene as per EN ISO 14362-1: 2017 Section 10.1

Tested Components: See component list in the last section of this report.

Date Sample Received: May 23, 2022

Testing Period: May 23, 2022 To Jun 23, 2022

(n)



Tests Conducted

11 Physical and Mechanical Tests

As per the Australian / New Zealand Standard AS/NZS ISO 8124.1:2019+Amd.1:2020+Amd.2:2020 Safety Aspects Related to Mechanical and Physical Properties.

Applicant's Specified Age Group for Testing: For 37-95 months.

The submitted samples were undergone the normal use and the following reasonable foreseeable abuse tests in accordance with the Clause 5.24 of AS/NZS ISO 8124.1:2019+Amd.1:2020+Amd.2:2020 before the assessment of the relevant requirement in Clause 4:

Clause	<u>Test</u>	<u>Parameter</u>
5.24.2	Drop test	4x93±5cm
5.24.3	Tip-over test	3 times
5.24.4	Dynamic strength	
5.24.5	Torque test	0.45±0.02Nm
5.24.6	Tension test	70±2N
5.24.7	Compression test	136±2N
5.24.8	Flexure test	70±2N

<u>Section</u>	Testing Items	<u>Assessment</u>
4.1	Normal use	Р
4.2	Reasonably foreseeable abuse	Р
4.3	Material	Р
4.4	Small parts	NA
4.5	Shape, size and strength of certain toys	NA
4.6	Edges	Р
4.7	Points	Р
4.8	Projections	Р
4.9	Metal wires and rods	Р
4.10	Plastic film or plastic bags in packaging and in toys	Р
4.11	Cords	NA
4.12	Folding mechanisms	Р





Tests Conducted

Section	Testing Items	<u>Assessment</u>
4.13	Holes, clearances and accessibility of mechanisms	P
4.14	Springs	NA
4.15	Stability and overload requirements	Р
1.16	Enclosures	NA
4.17	Simulated protective equipment, such as helmets, hats and goggles	NA
4.18	Projectile toys	NA
4.19	Flying toys	NA
1.20	Aquatic toys	NA
4.21	Braking	Р
4.22	Toy bicycles	NA
4.23	Speed limitation of electrically driven ride-on toys	Р
1.24	Toys containing a heat source	NA
4.25	Liquid-filled toys	NA
4.26	Mouth-actuated toys	NA
4.27	Toy roller skates, toy inline skates and toys skateboards	NA
4.28	Percussion caps specifically designed for use in toys	NA
4.29	Acoustic requirements	Р
4.30	Toy scooters	NA
1.31	Magnets and magnetic components	NA
1.32	Yo-yo balls	NA
4.33	Straps intended to be worn fully or partially around the neck	NA
4.34	Sledges and toboggans with cords for pulling	NA
4.35	Jaw entrapment in handles and steering wheels	NA
4.36	Assembly	Р
Annex B	Safety-labelling guidelines and manufacturer's markings	Р



Tests Conducted

<u>Section</u>	Testing Items	<u>Assessment</u>
Annex D	Toy gun marking	NA

Remark: P = Pass NA = Not applicable

Date Sample Received: May 23, 2022

Testing Period: May 23, 2022 To Jun 23, 2022

12 Flammability Test

As per Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.2: 2016.

<u>Clause</u>	<u>Testing Items</u>	<u>Assessment</u>
4.1	General Requirements	Р
4.2	Toys to be Worn on the Head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in a Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft-Filled Toys	NA

Remark: P = Pass NA = Not Applicable

Date Sample Received: May 23, 2022



Tests Conducted

13 <u>Toxic Elements Analysis</u>

As per Australian / New Zealand standard on safety of toys AS/NZS ISO 8124 part 3: 2021, acid extraction method was used and toxic elements content were determined by inductively coupled argon plasma spectrometry.

			Result (mg/kg)			Limit (mg/kg)
Sol. Barium (Ba)	(1) <5	(2) <5	(3) <5	(4) <5	(5) <5	1000
Sol. Lead (Pb)	<5	<5	<5	<5 <5	<5 <5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	< 5	<5	< 5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	25
			Result (mg/kg)			Limit (mg/kg)
	(6)	(7)	(8)	(9)	(10)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	< 5	<5	< 5	< 5	90
Sol. Cadmium (Cd)	<5 -5	<5	<5	<5	<5	75 00
Sol. Antimony (Sb) Sol. Selenium (Se)	<5 <5	<5 <5	<5 <5	<5 <5	<5 <5	60 500
Sol. Chromium (Cr)	<5	<5	<5	<5 <5	<5 <5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	25
				-		
	(4.4)	(40)	Result (mg/kg)	(4.4)	(4.F.)	Limit (mg/kg)
Sol Parium (Pa)	(11)	(12)	(13)	(14)	(15)	
Sol. Barium (Ba)	`<5 [°]	<5	(13) <5	`<5 [']	`<5 [°]	1000
Sol. Lead (Pb)	`<5´ <5	<5 <5	(13) <5 <5	<5 <5	<5 <5	1000
Sol. Lead (Pb) Sol. Cadmium (Cd)	<5 <5 <5	<5 <5 <5	(13) <5 <5 <5	<5 <5 <5	<5 <5 <5	1000 90 75
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb)	`<5´ <5	<5 <5	(13) <5 <5	<5 <5	<5 <5	1000
Sol. Lead (Pb) Sol. Cadmium (Cd)	<5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5	(13) <5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5	<5 <5 <5 <5	1000 90 75 60
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se) Sol. Chromium (Cr) Sol. Mercury (Hg)	<5 <5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <5	(13) <5 <5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <5	1000 90 75 60 500 60
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se) Sol. Chromium (Cr)	<5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5	(13) <5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5	1000 90 75 60 500
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se) Sol. Chromium (Cr) Sol. Mercury (Hg)	<5 <5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <5	(13) <5 <5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <5	1000 90 75 60 500 60
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se) Sol. Chromium (Cr) Sol. Mercury (Hg) Sol. Arsenic (As)	<5 <5 <5 <5 <5 <5 <5 <2.5	<5 <5 <5 <5 <5 <5 <5 <2.5	(13) <5 <5 <5 <5 <5 <5 <5 <5 <5 <8 Result (mg/kg) (18)	<55 <5 <5 <5 <5 <5 <5 <5 <5 <5 <10 <5 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10	<5 <5 <5 <5 <5 <5 <5	1000 90 75 60 500 60 60 25 Limit (mg/kg)
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se) Sol. Chromium (Cr) Sol. Mercury (Hg) Sol. Arsenic (As) Sol. Barium (Ba)	<5 <5 <5 <5 <5 <5 <2.5	<5 <5 <5 <5 <5 <5 <2.5	(13) <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <10 <5 <5 <5 <5 <5 <2.5 Result (mg/kg) (18) <5	<55 <5 <5 <5 <5 <5 <5 <5 <5 <5 <2.5	<5 <5 <5 <5 <5 <5 <2.5 (20) <5	1000 90 75 60 500 60 60 25 <u>Limit (mg/kg)</u>
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se) Sol. Chromium (Cr) Sol. Mercury (Hg) Sol. Arsenic (As) Sol. Barium (Ba) Sol. Lead (Pb)	<5 <5 <5 <5 <5 <5 <2.5 (16) <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (17) <5 <5	(13) <5 <5 <5 <5 <5 <5 <5 <25 <25 <2.5 Result (mg/kg) (18) <5 <5	<55 <5 <5 <5 <5 <5 <5 <5 <5 <2.5 (19) <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (20) <5 <5	1000 90 75 60 500 60 25 Limit (mg/kg)
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se) Sol. Chromium (Cr) Sol. Mercury (Hg) Sol. Arsenic (As) Sol. Barium (Ba) Sol. Lead (Pb) Sol. Cadmium (Cd)	<5 <5 <5 <5 <5 <5 <2.5 (16) <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (17) <5 <5	(13) <5 <5 <5 <5 <5 <5 <5 <2.5 Result (mg/kg) (18) <5 <5 <5 <5	<55 <5 <5 <5 <5 <5 <5 <2.5 (19) <5 <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (20) <5 <5	1000 90 75 60 500 60 25 Limit (mg/kg) 1000 90 75
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se) Sol. Chromium (Cr) Sol. Mercury (Hg) Sol. Arsenic (As) Sol. Barium (Ba) Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb)	<5 <5 <5 <5 <5 <5 <2.5 (16) <5 <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (17) <5 <5 <5	(13) <5 <5 <5 <5 <5 <5 <5 <2.5 Result (mg/kg) (18) <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (19) <5 <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (20) <5 <5 <5	1000 90 75 60 500 60 25 Limit (mg/kg) 1000 90 75 60
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se) Sol. Chromium (Cr) Sol. Mercury (Hg) Sol. Arsenic (As) Sol. Barium (Ba) Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se)	<5 <5 <5 <5 <5 <5 <2.5 (16) <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (17) <5 <5 <5 <5	(13) <5 <5 <5 <5 <5 <5 <2.5 Result (mg/kg) (18) <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (19) <5 <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (20) <5 <5 <5	1000 90 75 60 500 60 25 Limit (mg/kg) 1000 90 75 60 500
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se) Sol. Chromium (Cr) Sol. Mercury (Hg) Sol. Arsenic (As) Sol. Barium (Ba) Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se) Sol. Chromium (Cr)	<5 <5 <5 <5 <5 <2.5 (16) <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (17) <5 <5 <5 <5	(13) <5 <5 <5 <5 <5 <5 <2.5 Result (mg/kg) (18) <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (19) <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (20) <5 <5 <5 <5	1000 90 75 60 500 60 60 25 Limit (mg/kg) 1000 90 75 60 500 60
Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se) Sol. Chromium (Cr) Sol. Mercury (Hg) Sol. Arsenic (As) Sol. Barium (Ba) Sol. Lead (Pb) Sol. Cadmium (Cd) Sol. Antimony (Sb) Sol. Selenium (Se)	<5 <5 <5 <5 <5 <5 <2.5 (16) <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (17) <5 <5 <5 <5	(13) <5 <5 <5 <5 <5 <5 <2.5 Result (mg/kg) (18) <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (19) <5 <5 <5	<5 <5 <5 <5 <5 <5 <2.5 (20) <5 <5 <5	1000 90 75 60 500 60 25 Limit (mg/kg) 1000 90 75 60 500



Test Report SHAH01445624 Number:

Tests Conducted

			Result (mg/kg)			Limit (mg/kg)
	(21)	(22)	(23)	(24)	(25)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	25
			Result (mg/kg)			Limit (mg/kg)
	(26)	(27)	(28)	(29)	(30)	
Sol. Barium (Ba)	`<5 [°]	`<5 [°]	`<5	`<5 [°]	`<5 [°]	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	25
			Result (mg/kg)			Limit (mg/kg)
	(31)		(32)		(33)	
Sol. Barium (Ba)	<5		<5		<5	1000
Sol. Lead (Pb)	<5		<5		<5	90
Sol. Cadmium (Cd)	<5		<5		<5	75
Sol. Antimony (Sb)	<5		<5		<5	60
Sol. Selenium (Se)	<5		<5		<5	500
Sol. Chromium (Cr)	<5		<5		<5	60
Sol. Mercury (Hg)	<5		<5		<5	60
Sol. Arsenic (As)	<2.5		<2.5		<2.5	25

Remark: Sol. = Soluble

mg/kg = Milligram per kilogram =mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: May 23, 2022 Testing Period: May 23, 2022 To Jun 23, 2022





Tests Conducted

14 <u>Diethylhexyl phthalate (DEHP) Content</u>

With reference to ISO 8124-6:2018, and determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Tested Component	Result (%,w/w)	<u>Limit(%,w/w)</u> (MAX.)
(1)	ND	1
(2)	ND	1
(3)	ND	1
(4)	ND	1
(5)	ND	1
(6)	ND	1
(7)	ND	1
(8)	ND	1
(9)	ND	1
(10)	ND	1
(11)	ND	1
(12)	ND	1
(13)	ND	1
(14)	ND	1
(15)	ND	1
(16)	ND	1
(17)	ND	1
(18)	ND	1
(19)	ND	1
(20)	ND	1
(21)	ND	1
(22)	ND	1
(23)	ND	1
(24)	ND	1
(25)	ND	1
(26)	ND	1
(27)	ND ND	1
(28)	ND ND	1
(29)	ND ND	1
(30)	ND ND	1 1
(31)	ND ND	
(32)	ND ND	1 1
(33)	ND	ı

Remark: The above limit was quoted according to Australian Competition and Consumer Act 2010 with Consumer Protection Notice No. 11, 2011 - Permanent ban on children's products for prohibition on sale of certain products containing specified phthalate.

Detection Limit = 0.01%(w/w) ND = Not Detected

Tested Components: See component list in the last section of this report.

Date Sample Received: May 23, 2022

Testing Period: May 23, 2022 To Jun 23, 2022

(n)



Tests Conducted













Tests Conducted

The Samples Were Submitted By The Client, Only For Reference.





Tests Conducted

Components List:

- (1) Black Plastic(Body).
- (2) White Plastic(Body).
- (3) Green Plastic (Body).
- (4) Gray Plastic (Body).
- (5) Orange Plastic (Body)
- (6) Wine Red Plastic (Body).
- (7) Red Plastic (Body).
- (8) Yellow Plastic (Body).
- (9) Light Blue Plastic (Body).
- (10) Pale Yellow Plastic (Body).
- (11) Pink Plastic (Body).
- (12) Blue Plastic (Body).
- (13) Silver Black (Body).
- (14) Purple Black (Body).
- (15) Deep Red Black (Body).
- (16) Coffee Transparent Plastic(Front Window).
- (17) Red Transparent Plastic(Tail Light).
- (18) Dark Grey Plastic (Button On Instrument Panel).
- (19) Black Plastic (Button On Steering Wheel).
- (20) Silver Coating On Plastic(Steering Wheel, Accelerator Pedal).
- (21) Black Webbing(Safety Belt).
- (22) Black Soft Plastic(Wheel).
- (23) Black Coating On Metal (Chassis).
- (24) Transparent Soft Plastic Sticker With Multi-Color Printing(Tail, Head)
- (25) Black Soft Plastic (Wire Protect).
- (26) Black Soft Plastic (Wire Covering).
- (27) Red Soft Plastic (Wire Covering).
- (28) White Soft Plastic(Wire Covering).
- (29) Yellow Soft Plastic(Wire Covering).
- (30) Orange Soft Plastic (Wire Covering).
- (30) Change Soit Flastic (Wife Covering
- (31) Blue Soft Plastic (Wire Covering).(32) Green Soft Plastic (Wire Covering).
- (33) Black Plastic(Body).

End Of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band w = U) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com