

Date:

Jan 13, 2020

Applicant: CHIZHOU KUAILEDA TOYS CO.,LTD

> MATANG INDUSTRY ZONE, DING QIAO TOWN, QINGYANG, CHIZHOU CITY, ANHUI PROVINCE

CHINA

Attn: MR YANG

Sample Description:

One (1) Group Of Submitted Sample Said To Be:

Item Name Ride On Car. Item No. KL-1666. Labelled Age Group 37-95 Months. Packaging Provided By Applicant Yes(Artwork). Goods Exported To USA, EU. Country Of Origin China.

Tests Conducted:

As Requested By The Applicant, For Details Refer To Attached Page(s).

Conclusion:

<u>Tested Samples</u> Submitted Sample	Standard U.S. ASTM F963-17 For Physical And Mechanical Tests	<u>Result</u> Pass
Submitted Sample	U.S. ASTM F963-17 For Flammability Test Of Materials Other Than Textile Materials	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-17 For Soluble Elements Content In Surface Coating	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-17 Section 4.3.5.2(2)(b) For Soluble Elements Content For Non-Surface Coating Materials	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-17 For Total Lead (Pb) Content	Pass

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.

Peter Chen General Manager







^	
(`nnr	lusion:
CULIC	IUSIUII.

<u>Tested Samples</u> Tested Components Of Submitted Sample	Standard U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 For Total Lead Content In Non-Surface Coating Materials (Substrate)	<u>Result</u> Pass
Tested Components Of Submitted Sample	U.S. Code Of Federal Regulations Title 16 CFR 1303 For Total Lead Content In Surface Coating	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 For Total Lead Content In Surface Coating	Pass
Tested Components Of Submitted Sample	U.S. Consumer Product Safety Commission (CPSC)'s Decision On Publishing The Final Rule For The 16 CFR Part 1307 For Prohibition Of Children's Toys And Child Care Articles Containing Specified Phthalates On 18 October 2017	Pass
Submitted Sample	Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels For Children Products	Pass
Submitted Sample	ASTM F963-17 Section 4.25 for Battery-Operated Toys And Battery-Powered Ride-On Toys	Pass

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

Peter Chen General Manager



www.intertek.com



Tests Conducted (As Requested By The Applicant)

1 Physical and Mechanical Tests

As Per The ASTM Standard Consumer Safety Specification For Toy Safety F963-17.

Applicant's Specified Age Group For Testing: For 37-96 Months

The Submitted Samples We	ere Undergone The Use And Abuse Te	sts In Accordance With The Federal Hazardous				
Substances Act (FHSA), Title 16, Code Of Federal Regulations: -						
Test	FHSA	Parameter				
Impact Test	Section 1500.53(b)	4 x 3.0 ft				
Tip Over Test	Section 1500.53(b)	3 Times				
Torque Test	Section 1500.53(e)	4 in-lbf				
Tension Test	Section 1500.53(f)	15 lbf				
Compression Test	Section 1500.53(g)	30 lbf				

Section	Testing Items	Assessment
4.1	Material Quality (Visual Check On Cleanliness)	Р
4.5	Sound-Producing Toys	Р
4.6.1	Toys Intended For Children Under 36 Months (Small Objects)	NA
4.6.2	Mouth-Actuated Toys	NA
4.6.3	Toys And Games For 36 Months To 72 Months (Small Part Warning)	NA
4.7	Accessible Edges	Р
4.8	Projections	Р
4.9	Accessible Points	Р
4.10	Wires Or Rods	NA
4.11	Nails And Fasteners	Р
4.12	Plastic Film	NA
4.13	Folding Mechanisms And Hinges	Р
4.14	Cords And Elastics In Toys	NA
4.15	Stability And Over-Load Requirements	Р
4.16	Confined Spaces	NA
4.17	Wheels, Tires And Axles	Р
4.18	Holes, Clearance, And Accessibility Of Mechanisms	Р
4.19	Simulated Protective Devices Such As Helmets, Hats, And Goggles	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers And Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	P#1





Tests Conducted (As Requested By The Applicant)

Section	Testing Items	Assessment
4.26	Toys Intended To Be Attached To A Crib Or Playpen	NA
4.27	Stuffed And Beanbag-Type Toys	NA
4.28	Stroller And Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys With Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yoyo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment In Handles And Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labelling Requirement	P#1
5	Instructional Literature	P#1
7.1	Producer's Markings - Name Of Producer/Distributor - Address	YES YES
7.3	Toy Chests - Name of Manufacturer/Distributor/Seller (Toy) - Address (City, State And Zip Code) of Manufacturer/Distributor/Seller (Toy) - Date Code (Toy And Package/Shipping Container)	NA

P = PassRemark: NA = Not Applicable

The Submitted Samples Were Undergone The Tests In Accordance With Section 8.5 Through Section 8.18 And 8.20 Through 8.26 On Normal Use, Abuse And Specific Tests For Different Types Of Toys Whichever Is Applicable.

The Results Of Section 4.25, 5.15, 6.5, 6.6, 7.2 For Battery-Powered Toys Were Referred To The Next #1 Test Item.

Date Sample Received: Dec 09, 2019 & Jan 02, 2020 Testing Period: Dec 09, 2019 To Jan 02, 2020



Tests Conducted (As Requested By The Applicant)

2 Flammability Test

As Per Section 4.2 Of The ASTM Standard Consumer Safety Specification For Toy Safety F963-17, The Sample Was Tested According To Annex A5 Flammability Testing Procedure For Solids And Soft Toys.

Results: Did Not Ignite

Date Sample Received: Dec 09, 2019 & Jan 02, 2020

Testing Period: Dec 09, 2019 To Jan 02, 2020

3 Soluble Elements Analysis In Surface Coating

As per section 4.3.5.1(2) of the ASTM standard consumer safety specification on toy safety F963-17, acid extraction method was used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (ppm)	<u>Limit (ppm)</u>
	(4)	
Sol. Barium (Ba)	14	1000
Sol. Lead (Pb)	<5	90
Sol. Cadmium (Cd)	<5	75
Sol. Antimony (Sb)	<5	60
Sol. Selenium (Se)	<5	500
Sol. Chromium (Cr)	<5	60
Sol. Mercury (Hg)	<5	60
Sol. Arsenic (As)	<2.5	25

Remark: Sol. = Soluble

ppm = Parts Per Million = mg/kg

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 09, 2019





Tests Conducted (As Requested By The Applicant)

4 Soluble Elements Analysis In Non-Surface Coating Materials (Substrate Except Modelling Clay)
As per section 4.3.5.2(2)(b) of the ASTM standard consumer safety specification on toy safety F963-17, acid
extraction method was used and heavy metal elements migration content were determined by Inductively
Coupled Argon Plasma Spectrometry.

				Result	(ppm)				<u>Limit (ppm)</u>
	(1)	(2)	(3)	(5)	(6)	(7)	(8)	(9)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25
				Result	(ppm)				<u>Limit (ppm)</u>
	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25
				Result	(ppm)				<u>Limit (ppm)</u>
	(18)	(19)	(20)	(2	1)	(22)	(23)	(24)	
Sol. Barium (Ba)	<5	<5	<5	<	5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<		<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<		<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<		<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<		<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<		<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<		<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2	2.5	< 2.5	< 2.5	< 2.5	25

Remark: Sol. = Soluble

ppm = Parts Per Million = mg/kg

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 09, 2019





Tests Conducted (As Requested By The Applicant)

5 Total Lead (Pb) Content

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, test method CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3 or/and CPSC-CH-E1003-09.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

(I) Surface coating

Tested Component	Result in ppm	<u>Limit (ppm)</u>
(4)	<20	90

(II) Non-Surface Coating

<u>Tested Component</u>	Result in ppm	<u>Limit (ppm)</u>
(1+2+3)	<10	100
(5+6)	<10	100
(7)	<10	100
(8+9+10)	<10	100
(11+12)	<10	100
(13+14+15)	<10	100
(16)	<10	100
(17)	<10	100
(18+19)	12	100
(20+21+22)	<10	100
(23+24)	<10	100

Remark : ppm = Parts Per Million=mg/kg

< = Less Than

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 09, 2019





Tests Conducted (As Requested By The Applicant)

6 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate):

As Per Standard Operating Procedures For Determining Total Lead (Pb) In Children's Products, Test Methods CPSC-CH-E1002-08.1 And/Or CPSC-CH-E1001-08.1 Were Used And Total Lead Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result In ppm	<u>Limit In ppm</u>
(1+2+3)	<10	100
(5+6)	<10	100
(7)	<10	100
(8+9+10)	<10	100
(11+12)	<10	100
(13+14+15)	<10	100
(16)	<10	100
(17)	<10	100
(18+19)	12	100
(20+21+22)	<10	100
(23+24)	<10	100

The Above Requirement Was Quoted For Us Consumer Product Safety Improvement Act 2008. (H.R.4040) Total Lead Content.

Remark: ppm = Parts Per Million = mg/kg

< = Less Than

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 09, 2019





Tests Conducted (As Requested By The Applicant)

7 Total Lead (Pb) Content In Surface Coating

As Per Standard Operating Procedure For Determining Lead (Pb) In Paint And Other Similar Surface Coatings (April 26, 2009), Test Method CPSC-CH-E1003-09 Was Used And Total Lead Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

Tested Component (4) Result In ppm Limit In ppm Limit In ppm < 20 90

The Above Requirement Was Quoted For Us Consumer Product Safety Improvement Act 2008. (H.R.4040) Total Lead Content.

Remark: ppm = Parts Per Million = mg/kg

< = Less Than

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 09, 2019



TEST REPORT WUXH0009592901 Number:

Tests Conducted (As Requested By The Applicant)

Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

		Result (%)			Reporting	Limit
<u>Test item</u>	CAS No.	<u>Tested component</u>			<u>Limit</u>	<u>Limit</u> (%)
		(1+2+3)	(4)	(5+6)	<u>(%)</u>	(70)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.01	0.1
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	ND	ND	0.01	0.1
Di-n-hexyl Phthalate (DHEXP)	84-75-3	ND	ND	ND	0.01	0.1
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	ND	ND	0.01	0.1

	CAS No.		Result (%)	Reporting	<u>Limit</u>	
<u>Test item</u>		<u>Te</u>	sted compone	<u>Limit</u>	<u>(%)</u>	
		(7)	(8+9+10)	(11+12)	<u>(%)</u>	(70)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.01	0.1
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	ND	ND	0.01	0.1
Di-n-hexyl Phthalate (DHEXP)	84-75-3	ND	ND	ND	0.01	0.1
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	ND	ND	0.01	0.1

	CAS No.	Result (%)			Reporting	Limit
<u>Test item</u>		<u>Tested component</u>			<u>Limit</u>	<u>Limit</u> (%)
		(13+14+15)	(16)	(17)	<u>(%)</u>	(70)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.01	0.1
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	ND	ND	0.01	0.1
Di-n-hexyl Phthalate (DHEXP)	84-75-3	ND	ND	ND	0.01	0.1
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	ND	ND	0.01	0.1



Tests Conducted (As Requested By The Applicant)

	CAS No.	Result (%)			Reporting Limit	<u>Limit</u> (%)
<u>Test item</u>		<u>Tested component</u>				
		(18+19)	(20+21+22)	(23+24)	<u>(%)</u>	(70)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	ND	ND	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.01	0.1
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	ND	ND	0.01	0.1
Di-n-hexyl Phthalate (DHEXP)	84-75-3	ND	ND	ND	0.01	0.1
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	ND	ND	0.01	0.1

The Above Limit Was Quoted According To U.S. Consumer Product Safety Commission (CPSC)'s Decision On Publishing The Final Rule For The 16 CFR Part 1307 For Prohibition Of Children's Toys And Child Care Articles Containing Specified Phthalates On 18 October 2017.

ND = Not Detected

Tested Components: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 09, 2019 & Jan 08, 2019 Testing Period: Dec 09, 2019 To Jan 09, 2019



Tests Conducted (As Requested By The Applicant)

9 Tracking Label Assessment

As per Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 tracking labels for children products.

Tracking label found on the packaging: Chizhou Kuaileda Toys Co., Ltd KL-1666

City country: Chizhou China Date Code: Dec, 2019

Batch Number: PO#YG-201908230757

Tracking label found on the product: Chizhou Kuaileda Toys Co., Ltd

KL-1666

City country: Chizhou China Date Code: Dec, 2019

Batch Number: PO#YG-201908230757

Note: The Tracking Label Assessment Was Based On The Submitted Sample And The Information Provided

By The Applicant. There Was No Verification On The Validity Of Such Information.

Remark: The Tracking Labels Found On The Product And Its Package Were Identical.

Date Sample Received: Dec 09, 2019 & Jan 02, 2020

Testing Period: Dec 09, 2019 To Jan 02, 2020





Tests Conducted (As Requested By The Applicant)
10 Battery-Operated Toys

As per ASTM F963-17 consumer safety specification for toy safety section 4.25, 5.15, 6.5, 6.6 and 7.2.

Applicant's specified age group for testing: For 37-96 Months

Type of battery: Vehicle: 12 V, 4.5 Ah, Lead-acid rechargeable battery X 1pc(non-replaceable).

:Remote Control: 3V LR 03 size x 2 pcs,

Charger: Type: Input 100-120 V A.C., Output 12 V D.C.(Provided)

Model: HK012-120100AXU

Electric operated function: Battery powered Motion, LED Light, Sound.

<u>Section</u>	<u>Testing items</u>	<u>Assessment</u>
4.25.1	Battery marking	Р
4.25.2	Maximum allowable direct current potential	Р
4.25.3	Protection against charging non-rechargeable battery	Р
4.25.4	Accessible batteries	NA
4.25.5	Accessible batteries that can fit completely within small part cylinder	Р
4.25.6	Isolation of batteries of different types or capacities	NA
4.25.7	Temperature of battery surface	Р
4.25.8	Temperature of battery surface or combustion hazard after normal use and abuse test	Р
4.25.9	Packaging and Instruction requirement	
	- 5.15 Non-replaceable battery statement in battery operated toys	Р
	- 5.15.2 Button or coin cell batteries	NA
	- 6.5 Instruction on safe usage of battery	Р
4.25.10	Battery-powered ride-on toys	Р
4.25.10.1	The maximum temperature measured on the insulation of any conductor shall not exceed the temperature rating of the material.	Р
4.25.10.2	Battery powered ride on toys shall not present a risk of fire in stalled motor test.	Р
4.25.10.3	A battery powered ride on toy designed with a wiring system that has a user replaceable device (fuse type) for the primary circuit protection or a wiring system with user resetable primary circuit protection (manual reset fuse) shall not actuate (open or trip) when tested in accordance with the nuisance tripping test	NA
4.25.10.4	Switches used in battery powered ride on toys. - Polymeric materials in switches used in battery powered ride on toys that are used to support current carrying parts shall carry a minimum flame rating of UI-94 V-0 or have a glow wire ignition rating of 750°C. - The switch body shall not result in a short circuit condition when subjected to	Р

(in

Page 13 Of 16



TEST REPORT WUXH0009592901 Number:

Tests Conducted (As Requested By The Applicant)	
	the switch endurance test and overload tests. The switch shall not fail in a mode that could cause the vehicle to run continuously (switch stuck in the "on" position) when subjected to the endurance test and the overload test.	
4.25.10.5	User replaceable circuit protection devices in battery powered ride on toys. - User replaceable circuit protection devices provided by the manufacturer in battery-powered ride-on toys shall be listed, recognized or certified by a Nationally Recognized Test Laboratory (NRTL) (that is, a laboratory recognized in accordance with 29 CFR 1910) to an appropriate electrical safety standard. Il circuit protection devices used in battery powered ride on toys intended to be replaced by the user shall be replaceable only with the use of a tool or by a design which does not easily allow tempering such as a design requiring excessive force to open.	NA
4.25.10.6	Batteries and battery chargers. Battery connectors must be constructed of material with a UL94 V-0 flame rating or have a glow wire ignition rating of 750°C. The battery charging system shall not present a risk of fire due to a short circuit condition applied to any point in the length of a charger/battery. During charging, battery-charging voltages shall not exceed the recommended charging voltages. Battery charges must be certified to the appropriate standard body. Reference document of certified body: E97199	Р
4.25.10.7	Wiring connected to the main/motor battery shall be short circuit protected and shall not present the risk of fire.	Р
4.25.10.8	Strain relief shall be provided to prevent mechanical stress on wires entering a connector block during routine maintenance.	Р
4.25.10.9	Battery powered ride on toys shall comply with the requirements for safety labelling, for additional instructional literature, and for required producer's markings. - 5.15.1 Safety warnings of battery powered ride on toys - 6.6 Instructions - 7.2 Producer's marking	Р
4.25.11	Toys that contain secondary cells or secondary batteries	NA
Remark: P =	Pass NA = Not Applicable	

Page 14 Of 16

www.intertek.com

Date Sample Received: Dec 09, 2019 & Jan 02, 2020 Testing Period: Dec 09, 2019 To Jan 02, 2020



Tests Conducted (As Requested By The Applicant)





Tests Conducted (As Requested By The Applicant) Components List:

- (1) White Plastic(Body).
- (2) Black Transparent Plastic(Front Window).
- (3) Black Plastic(Front Fence).
- (4) Grey Coating On Plastic(Front Fence, Wheel).
- (5) Transparent Plastic(Front Light).
- (6) Red Transparent Plastic(Tail Light).
- (7) Red Transparent Plastic With White Coating(Button).
- (8) Black Plastic(Steering Wheel).
- (9) Black Plastic(Door Lock).
- (10) Black Plastic(Seat).
- (11) Black Plastic(Accelerator Pedal).
- (12) Black Plastic(Wheel).
- (13) Black Soft Plastic(Wheel Antiskid Part).
- (14) White Soft Plastic(Wire).
- (15) Black Soft Plastic(Wire).
- (16) Silver Soft Plastic Sticker(Tail).
- (17) Silver Metal(Chassis).
- (18) Black Plastic Soft Plastic(Wire Protect).
- (19) Transparent Soft Plastic(Wire Protect).
- (20) Red Soft Plastic(Wire).
- (21) Yellow Soft Plastic(Wire).
- (22) Green Soft Plastic(Wire).
- (23) Brown Soft Plastic(Wire).
- (24) Blue Soft Plastic(Wire).
- (25) Black Woven Fabric(Safety Belt).

End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

This report shall not be reproduced except in full, without written approval of the laboratory

