

Report No. AL2003026501ENR

Approved Date:Apr.16,2020 Page 1 / 10

CLIENT	ZHE JIANG JIAJIA RIDE-ON CO.,LTD
ADDRESS	XINCANG INDUSTRIAL ZONE PINGHU CITY, ZHEJIANG PROVINCE ,CHINA

The f	following submittee	d sample(s) was/were identified by/on behalf of the client as	
Sam	ole Name	Children's car	
Mod	el No.	JE1001	
Coun	try of destination	U.S.A	
Date	Received	Mar.31,2020	
Test	Period	Mar.31,2020 to Apr.10,2020	
Test	Request		Conclusion
1.	ASTM F963-17	Standard Consumer Safety Specification for Toy Safety	
		1.1 Physical and mechanical test (Excluding clause 4.25 Battery-Operated Toys)	PASS
		1.2 Flammability test	PASS
		1.3 Heavy metals test	PASS
2.	California's	California's Safe Drinking Water and Toxic Enforcement Act	
	Proposition 65	2.1 Total Lead content	PASS
		2.2 Five phthalates(DBP BBP DEHP DnHP DIDP) content	PASS
_			

For more information about the test, please refer to the following pages.

Compiled By

Zhu Zheng feng Checked

g He on behalf of ned for and

Shanghai Lelangtek Testing Technology Co., Ltd.(2nd Floor, Building 4, No.158, Jinfang Road, Fudong District, Shanghai)

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information ontained here in reflects the Company's finding at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only



Report No. AL2003026501ENR

Sample Photo(s)

Approved Date:Apr.16,2020 Page 2 / 10



Lelangtek authenticated the photo on original report only

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only

Lelangtek

TEST REPORT

Report No. AL2003026501ENR

TEST RESULT

1 Standard Consumer Safety Specification for Toy Safety ASTM F963-17

1.1 Physical and mechanical test

Applicant specified age group for testing: Over 3 years of age

1.1.1 Applicable requirements for before and after normal use and abuse test

Section	Test Item	Result
4	Safety requirements	
4.1	Material Quality	PASS
4.5	Sound-Producing Toys	PASS
4.6.1	Toys Intended for Children under 36 Months (Small Objects)	N/A
4.6.2	Mouth-Actuated Toys	N/A
4.6.3	Toys And Games for 36 Months to 72 Months (Small Part Warning)	PASS
4.7	Accessible Edges	PASS
4.8	Projections	N/A
4.9	Accessible Points	PASS
4.10	Wires Or Rods	N/A
4.11	Nails And Fasteners	PASS
4.12	Plastic Film	PASS
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps, and Elastics	N/A
4.15	Stability and Over-Load Requirements	PASS
4.16	Confined Spaces	N/A
4.17	Wheels, Tires and Axles	PASS
4.18	Holes, Clearance, and Accessibility of Mechanisms	PASS
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys	N/R
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only



Report No. AL2003026501ENR

Approved Date:Apr.16,2020

Page 4 / 10

		Page 4 / 10
Section	Test Item	Result
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chests	N/A
5	Labeling Requirements	
5.2	Age Grading Labeling	PASS
5.3	Safety Labeling Requirements	PASS
5.8	Toys Intended to be Assembled By an Adult	PASS
5.15	Battery operated toys	PASS
6	Instructional Literature	
6.1	Definition and Description	PASS
6.4	Toys Intended to be Assembled By an Adult	PASS
6.5	Battery operated toys	PASS
6.6	Battery powered ride-on toys	PASS
7	Producer's Markings	
7.1	Either a principal component of a toy or the package of toy shall be marked	PASS
	with the name and address of the producer or the distributor	
7.2	Battery powered ride on toys	PASS

Note: N/A=Not applicable, N/R = Not requested by client.

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only



Report No. AL2003026501ENR

1.1.2 Normal use and abuse test

Section	Title	Test condition		
8.5	Normal Use Testing	Normal Use Testing		
8.6	Abuse Testing	Abuse Testing		
8.7	Tipover Tests	3 Times		
8.8	Torque Tests for Removal of Components	Torque Tests for Removal of Components 4 inIbf		
3.9	Tension Test for Removal of Components	Tension Test for Removal of Components 15 lbf		
8.10	Compression Test 30 lbf			

1.2 Flammability Test

Refer to: ASTM F963-17 Section 4.2

Test method: As per section 4.2 of the ASTM standard Consumer Safety Specification For Toy Safety F963-17, the sample was tested according to Annex A5 flammability testing procedure for solids and soft toys.

Ignition Point	Burn length	Time	Burn Rate	Limit	Test result	
	(inch)	(sec)	(inch/sec)	(inch/sec)		
Edge	/	/	DNI	0.1	PASS	

Note: DNI=Did Not Ignite.

1.3 Heavy metals test

Refer to: ASTM F963-17 Section 4.3.5.1&4.3.5.2

Test method: ASTM F963-17 Section 8.3

Instrument: Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES)

1.3.1 Paint and Similar Surface-Coating Materials

Total lead test

Component No.	Total Lead(T-Pb)
1	ND
2	ND
Limit(mg/kg)	≤90

1.3.2 Toy Substrate Materials

Total lead test

Component No.	Total Lead(T-Pb)
3	ND
4	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only



Report No. AL2003026501ENR

Approved Date:Apr.16,2020 Page 6 / 10

Component No.	Total Lead(T-Pb)	
5	ND	
6	ND	
7	ND	
8	ND	
9	ND	
10	ND	
11	ND	
12	ND	
13	ND	
14	ND	
15	ND	
16	ND	
17	ND	
18	ND	
19	ND	
20	ND	
Limit(mg/kg)	≤100	

Soluble element test

	Soluble	Soluble	Soluble	Soluble	Soluble	Soluble	Soluble	Soluble
Component No.	Lead	Cadmium	Mercury	Chromium	Arsenic	Selenium	Barium	Antimony
NO.	(s-Pb)	(s-Cd)	(s-Hg)	(s-Cr)	(s-As)	(s-Se)	(s-Ba)	(s-Sb)
1	ND	ND	ND	ND	ND	ND	ND	ND
2	ND	ND	ND	ND	ND	ND	ND	ND
3	ND	ND	ND	ND	ND	ND	ND	ND
4	ND	ND	ND	ND	ND	ND	ND	ND
5	ND	ND	ND	ND	ND	ND	ND	ND
6	ND	ND	ND	ND	ND	ND	ND	ND
7	ND	ND	ND	ND	ND	ND	ND	ND
8	ND	ND	ND	ND	ND	ND	ND	ND
9	ND	ND	ND	ND	ND	ND	ND	ND
10	ND	ND	ND	ND	ND	ND	ND	ND
11	ND	ND	ND	ND	ND	ND	ND	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only

Report No. AL2003026501ENR

Approved Date:Apr.16,2020

Page 7 / 10

								Page 7 / 10
C	Soluble	Soluble	Soluble	Soluble	Soluble	Soluble	Soluble	Soluble
Component	Lead	Cadmium	Mercury	Chromium	Arsenic	Selenium	Barium	Antimony
No.	(s-Pb)	(s-Cd)	(s-Hg)	(s-Cr)	(s-As)	(s-Se)	(s-Ba)	(s-Sb)
12	ND	ND	ND	ND	ND	ND	ND	ND
13	ND	ND	ND	ND	ND	ND	ND	ND
14	ND	ND	ND	ND	ND	ND	ND	ND
15	ND	ND	ND	ND	ND	ND	ND	ND
16	ND	ND	ND	ND	ND	ND	ND	ND
17	ND	ND	ND	ND	ND	ND	ND	ND
18	ND	ND	ND	ND	ND	ND	ND	ND
19	ND	ND	ND	ND	ND	ND	ND	ND
20	ND	ND	ND	ND	ND	ND	ND	ND
Limit	-00	.75			-25	- 500	-1000	- 60
(mg/kg)	≤90	≤75	≤60	≤60	≤25	≤500	≤1000	≤60

Note:

(1) mg/kg = ppm=parts per million

(2) ND = Not detected, the test result(s) is/are below the method detection limit(MDL).

(3) MDL: total lead---10mg/kg soluble element---5mg/kg

- (4) According to ASTM F963-17, in the case where there is between 10mg and 100 mg of uniform material the mass of the test portion shall be reported in the test report and the quantity of the appropriate elements shall be calculated and reported as if 100 mg of the test portion had been used.
- (5) According to ASTM F963-17, materials such as glass, metal, ceramic are exempted from soluble element test if they are not small parts.

2 The Safe Drinking Water and Toxic Enforcement Act(California's Proposition 65)

2.1 Total Lead content

Component No.	Total Lead(T-Pb)
1	ND
2	ND
3	ND
4	ND
5	ND
6	ND
7	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only



Component No.	Total Lead(T-Pb)
8	ND
9	ND
10	ND
11	ND
12	ND
13	ND
14	ND
15	ND
16	ND
17	ND
18	ND
19	ND
20	ND
Limit(mg/kg)	≤100

2.2 Five phthalates(DBP BBP DEHP DnHP DIDP) content

Component No.	(1) DBP	(2) BBP	(3) DEHP	(4) DnHP	(5) DIDP
2	ND	ND	ND	ND	ND
3	ND	ND	ND	ND	ND
4	ND	ND	ND	ND	ND
5	ND	ND	ND	ND	ND
6	ND	ND	ND	ND	ND
7	ND	ND	ND	ND	ND
8	ND	ND	ND	ND	ND
9	ND	ND	ND	ND	ND
10	ND	ND	ND	ND	ND
11	ND	ND	ND	ND	ND
12	ND	ND	ND	ND	ND
13	ND	ND	ND	ND	ND
14	ND	ND	ND	ND	ND
15	ND	ND	ND	ND	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only

Lelangtek

TEST REPORT

Report No. AL2003026501ENR

No. 16

17

18

Approved Date:Apr.16,2020

Page 9 / 10 Component (2) (3) (4) (5) (1) DBP BBP DEHP DnHP DIDP ND Limit(%) ≤**0.1** ≤0.1 ≤0.1 ≤0.1 ≤0.1 Note: (1) DBP **Dibutyl Phthalate** 1) CAS No.# 84-74-2 BBP 2) Benzyl Butyl Phthalate CAS No.# 85-68-7 DEHP 3) Bis(2-ethylhexyl) Phthalate CAS No.# 117-81-7 Di-n-hexyl phthalate DnHP CAS No.# 84-75-3 4) Diisodecyl phthalate DIDP CAS No.# 26761-40-0/68515-49-1 5) DnHP: Di-n-hexyl phthalate(CAS No.#: 84-75-3), also abbreviated DHEXP. (2) (3) 0.1%=1000mg/kg, mg/kg = ppm=parts per million

(4) ND = Not detected, the test result(s) is/are below the method detection limit(MDL).

MDL: DIDP -----50mg/kg (5) Other phthalates -----30mg/kg

(6) Letter R, which is added at the end of the report number, shows this report is a revised document for Report No. AL2003026501EN. Report No. AL2003026501EN is replaced and invalidated automatically from the approval date of this report. As specified by client/The revised content is as follows:

a. On the page 1 of the report, Name of Distributor was deleted.

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only



Report No. AL2003026501ENR

Approved Date:Apr.16,2020 Page 10 / 10

TEST COMPONENT DESCRIPTION

Coating materials

1	Silver coating	Decorative Light				
2	Silver coating	Steering wheel				
Plastic materials						
3	transparent plastic	Head light				
4	White plastic	Body				
5	Black plastic	Body				
6	Translucent grey plastic	Windshield				
7	Black plastic	Panel/steering wheel/door/seat				
8	Black plastic	Multimedia				
9	Black plastic	Dashboard				
10	Transparent plastic	Dashboard				
11	Black plastic	Steering wheel				
12	Black plastic	Door				
13	Black plastic	Brake				
14	Red plastic	Rear light				
15	Black plastic	Wheel inner ring				
16	Black plastic	Wheel outer ring				
Other materials						
17	Glass	Rearview mirror				
18	Multicolor plastic sticker	Dashboard				
Metal materials						
19	Silver metal	Headstock/steering wheel				
20	Silver metal	Headstock/steering wheel				
		* * * * * * * * * * * End of Report* * * * * * * * * * *				
(1)	(1) This report is not affixed to the special seal invalid.					

(2) This report shall not be modified, increased, deleted, copied or intercepted, without the approval of Lelangtek.

(3) The results shown in this report refer only to the lab received sample(s).

(4) If you have any question or concern to this report, please contact us within 10 days, or it will not be accepted out of

TEST REPORT

the time.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.