

Date:

Jan 06, 2021

Applicant: JIAXING HARLEY BABY CAR CO.,LTD

NO.123, JINSHA ROAD, XINCANG TOWN, PINGHU CITY, ZHEJIANG PROVINCE, CHINA

Attn: ZHANG HUA

Sample Description:

One (1) Group Of Submitted Sample Said To Be:

Item Name: Children Car.Item No.: HL358.Labelled Age Group: 3+.Packaging Provided By Applicant: Yes.Country Of Origin: China.

Tests Conducted:

As Requested By The Applicant, For Details Refer To Attached Page(s).

Conclusion:

Tested Samples Standard Result Submitted Sample EN71-1:2014+A1:2018 For Mechanical And Physical Properties Pass Submitted Sample EN71-2: 2011+A1: 2014 Flammability Test **Pass** Submitted Sample Set EN IEC 62115:2020+A11:2020- Safety of Electric Toys Excluding **Pass** the Clause 15.1.2, 15.4, 19, Annex C, Annex D, Annex E, Annex (Subjected to I & Annex J Remark)

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.

Peter Chen General Manager







Tests Conducted (As Requested By The Applicant)

1 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.

Applicant's Specified Age Group for Testing: Over 3 years.

The submitted samples were undergone the following abuse tests:			
Test	Clause	Parameter	
Torque Test	8.3	0.34 Nm	
Tension Test	8.4.2.1	90 N	
Protective Components	8.4.2.3	60 N	
Drop Test	8.5	850 mm x 5times	
Impact Test	8.7	1 kg	
Compression Test	8.8	110 N	
Flexibility of Metallic Wires	8.13	70 N	

<u>Clause</u>	Testing Items	<u>Assessment</u>
4	General Requirements	
4.1	Material	Р
4.2	Assembly	Р
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	Р
4.8	Points and metallic wires	Р
4.9	Protruding parts	Р
4.10	Parts moving against each other	Р
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	Р
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	Р
4.21	Toys containing a non-electrical heat source	NA





Tests Conducted (As Requested By The Applicant)

Clause	Testing Items	Assessment
4.22	Small balls	NA NA
4.23	Magnets	NA NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for Children under 36 Months	!
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	Р
7	Warnings, markings and instructions for use	
7.1	General	Р
7.2	Toys not intended for children under 36 months	Р
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	Р
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA



Tests Conducted (As Requested By The Applicant)

<u>Clause</u>	Testing Items	<u>Assessment</u>
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark: P = Pass

NA = Not Applicable

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- All the above markings were presented .

Date Sample Received: Dec 30, 2020 & Jan 05, 2021 Testing Period: Dec 30, 2020 To Jan 05, 2021





Tests Conducted (As Requested By The Applicant)

2 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2011+A1: 2014

Clause	Testing Items	Assessment
4.1	General	Р
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Flowing elements of toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date Sample Received: Dec 30, 2020 & Jan 05, 2021 Testing Period: Dec 30, 2020 To Jan 05, 2021



Tests Conducted (As Requested By The Applicant)

3 Safety of Electric Toys

As per European Standard on Safety of Electric Toys EN IEC 62115:2020+A11:2020

Applicant's specified age group for testing: Over 3 years.

Power source: Remote: 3 V, LR 03 size x 2 pcs,

: Vehicle: 12 V, 10 Ah, Lead-acid rechargeable battery x 1pc

Charger: type: Input 200-240V A.C. Output 12 V D.C. (Provided)

model: RR-48-1201000D

Electric Operated Function: Battery powered sound, LED light, motion.

<u>Clause</u>	Requirement	<u>Assessment</u>
1	Scope	
2	Normative reference	
3	Term and definitions	
4	General requirement	
5	General conditions for test	
6	Criteria for reduced testing	NA
6.1	General	
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and instructions	P
7.1	General	Р
7.2	Marking on electric toys	P
7.3	Instructions and markings on packaging	P
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	P
7.6	Temperature warnings	NA
8	Power input	NA
9	Heating and abnormal operation	P
9.1	General	
9.2	Test condition	
9.3	Normal operation	P
9.4	Normal operation with insulation short-circuited	P
9.5	Abnormal operation with temperature controls made inoperable	NA
9.6	With accessible moving parts locked	P
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection.	NA
9.9	Fault condition in electronic circuits	P
9.10	Compliance criteria	Р
10	Electric strength	Р
10.1	Electric strength at operating temperature	Р
10.2	Electric strength under humid conditions	Р





Tests Conducted (As Requested By The Applicant)

	ed (As Requested by The Applicant)	
<u>Clause</u>	Requirement	<u>Assessment</u>
11	Electric toys used in water, electric toys used with liquid and electric toys	NA
	cleaned with liquid	
12	Mechanical strength	Р
12.1	Enclosures	Р
12.2	Attachment strength	Р
13	Construction	Р
13.1	Nominal supply voltage	Р
13.2	Transformers, power supplies and battery chargers	Р
13.3	Thermal cut-outs.	NA
13.4	Batteries	Р
13.5	Plug and sockets	Р
13.6	Charging batteries	Р
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment.	NA
13.10	Speed limitation of ride-on electric toys	P
14	Protection of cords and wires	P
14.1	Edges and moving parts	P
14.1	Fixed parts	NA
14.2 15	•	
15	Components	See remark (1 & 2)
15.1.1	General	
15.1.2	Switches and automatic controls	See remark (2)
15.1.3	Other components	See remark (1)
15.2	Prohibited components	P
15.3	Transformers and power supplies	NA
15.4	Battery chargers	See remark (1)
15.5	Batteries	NA
16	Screws and connections	P
16.1	Fixings	P
16.2	Connections	P
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
18.1	Resistance to heat	P
18.2	Resistance to fire	P
19	Radiation and similar hazards	See remark (2)
19 19.1	General	See remark (2)
19.1 19.2	Optical radiation	
19.2		Soo romark (2)
	Toys incorporating lasers and or light emitting diodes (LED) or UV emitting	See remark (2)
	lamps shall comply with Annex E.	
	Electric toys incorporating LEDs shall comply with 19.E.2.	
	Electric toys incorporating lasers shall comply with 19.E.3	
40.0	Electric toys incorporating UV-emitting lamps shall comply with 19.E.4	
19.3	Other electromagnetic radiation	
	Electric toys with an integrated field source that may produce harmful	See remark (2)
	electromagnetic radiation Measurements methods are given in Annex I.	



Tests Conducted (As Requested By The Applicant)

<u>Clause</u>	Requirement	<u>Assessment</u>
Annex A	Experimental sets	NA
Annex B	Needle-flame test	NA
Annex C	Automatic controls and switches	See remark (2)
Annex D	Electric toys with protective electronic circuits	See remark (2)
Annex E	Safety of electric toys incorporating optical radiation sources	See remark (2)
Annex F	Flowcharts showing the assessment of optical radiation safety of LEDs in electric	
	toys	
Annex G	Examples of calculations on LEDs	
Annex H	Explanation of the principles used for the requirements of Annex E	
Annex I	Electric toys generationg electromagnetic fields (EMF)	See remark (2)
Annex J	Safety of remote controls for electric ride-on toys	See remark (2)
		NA
Annex K	Flow charts showing the application of Clause 9	

Abbreviation: P = PassA = Applicable NA = Not Applicable

Remark:

(1)Applicant needs to ensure that components used in toys shall comply with the safety

requirements specified in the relevant standards.

Battery charger for toys shall comply with IEC 60335-2-29:2016 and Annex AA of that

standard.

(2)As requested by the applicant, the Annex C, Annex D, Annex E, Annex I, Annex J were not

assessed.

Date Sample Received: Dec 30, 2020 & Jan 05, 2021

Testing Period: Dec 30, 2020 To Jan 05, 2021





Tests Conducted (As Requested By The Applicant)





End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

This report shall not be reproduced except in full, without written approval of the laboratory

